



Cellular Shades

Spring 2008 Price List

TABLE OF CONTENTS



Specifications

Symmetry™ Fabric Covered Rail	1
Loop Control Shades	2
Cordless Shades	3
Standard Shades	4
Color Reference Charts	5
Specialty Shade Descriptions	6

Top Down/Bottom Up, Two Shades on One Headrail, Cut—outs, Arches

Pricing

Spunlace Single Cell	7
Blackout Single Cell.....	8
Double Cell.....	9
Sedona.....	10
Sedona Double Cell.....	11

Customer Support

How to Make a Template	12
Helpful Hints — Measuring & Glossary	13
Warranty, Maintenance & Care	14
Contact Information	15

SYMMETRY™ FABRIC COVERED RAIL SPECIFICATIONS

The Symmetry™ Fabric Covered Rail is an innovative cellular shade lift system that offers a continuous look of tone and texture from the top of the shade to the bottom. The headrail is artfully wrapped using the same soft fabric as the shade, then finished off with a fabric wrapped bottomrail. The result is a perfect balance of color and fabric texture. There are no metal rails to distract from the beauty of the shade. Rails are white to the street side for a clean, consistent appearance from the exterior.



Size Specifications

Minimum Width: 13"
 Maximum Width: 120"
 Minimum Height: 12"
 Maximum Height: 120"

Factory Deductions

Inside Mount	Outside Mount
1/4"	No deduction

Minimum Depth Mounting Requirements

Minimum Depth for Inside Top Mount

	Std. Mount	Flush
7/16"	1"	1—3/4"

3/4" and Double Cell	1"	2"
-------------------------	----	----

Minimum Vertical Surface for Back Mount

Medium Weight Shade	Heavyweight Shade
Ω"	7/8"

Ω"	1—1/8"
----	--------

Rail Dimensions

Rail Type	Height	Depth
Bracketrail	13/16"	1—3/8"
Headrail	11/16"	1—15/32"

LOOP CONTROL SHADE SPECIFICATIONS

The loop control option features a continuous cord system that raises, lowers and positions shades at any height. The cord length remains the same whether the shade is raised or lowered. The loop control option is ideal for lifting larger, heavier shades and a perfect choice for homes with children or pets. The headrail features a matching fabric insert and the bottomrail is fabric wrapped for a beautiful finished appearance.



Size Specifications

Minimum Width: 18"
 Maximum Width: 120"
 Minimum Height: 12"
 Maximum Height: 120"

Factory Deductions

Inside Mount	Outside Mount
1/4"	No deduction

Minimum Depth Mounting Requirements

Minimum Depth for Inside Top Mount

	Std. Mount	Flush
All Sizes	1—1/8"	2"

Minimum Vertical Surface for Back Mount

Medium Weight Shade	Heavyweight Shade
1/2"	5/8"

Rail Dimensions

Rail Type	Height	Depth
Headrail	1/2"	1 7/8"
Headrail	1—1/4"	1—5/8"

NOTE Loop Control shades are available in a white headrail with a color co-ordinated slat insert (see photo above)
 Loop Control shades are available with white cording only.

CORDLESS SHADE SPECIFICATIONS

The Cordless shade lift system features a matching fabric insert and fabric wrapped bottomrail which offers a sophisticated upgrade without lift cords. With no dangling cords this option is an excellent choice for pet owners and parents with small children; and is easily controlled with a small handle in the center of the bottomrail. A sleek, elegant upgrade for the safety conscious consumer.



Size Specifications

Minimum Width: 18"
Maximum Width: 120" Spun Lace
84" 3/4" Blackout
72" 7/16" Blackout
Minimum Height: 12"
Maximum Height: 84"

Factory Deductions

Inside Mount	Outside Mount
1/4"	No deduction

Rail Dimensions

Rail Type	Height	Depth
Headrail	1—3/8"	2"
Bottomrail	9/16"	1—1/2"

STANDARD SHADE SPECIFICATIONS

The standard rail shade features a metal headrail and bottomrail that coordinate with the color of the shade fabric. The traditional cord lock system allows shade to raise and lower by pulling on the cords and locking them into position. The shade fabric features a white exterior, which presents a neutral appearance to the street side.



Size Specifications

Minimum Width: 6"
 Maximum Width: 120"
 Minimum Height: 6"
 Maximum Height: 120"

Factory Deductions

Inside Mount	Outside Mount
1/4"	No deduction

Minimum Depth Mounting Requirements

Minimum Depth for Inside Top Mount

	Std. Mount	Flush
7/16"	1"	1—3/4"
3/4" and Double Cell	1"	1—7/8"

Minimum Vertical Surface for Back Mount

Medium Weight Shade	Heavyweight Shade
3/8"	1/2"
3/8"	1/2"

Rail Dimensions

Rail Type	Height	Depth
Headrail	13/16"	1—1/2"
Bottomrail	5/8"	1—5/8"

COLOR REFERENCE CHARTS

- Symmetry™ Fabric Covered Rail Shades
- Loop Control Shades
- Standard Shades
- Cordless



Light Filtering

002 Almond	016 Beach	057 Deep Blue
083 Butterscotch	170 Toffee	172 Moss
292 Sable	335 China White	410 Cream
503 Pure White	519 Sienna Sand	528 White Cap
562 White Linen	571 Cashew	701 Lace
702 Parchment	703 Cameo	704 Rose Quartz
707 Egyptian	708 Alexandria Beige	710 Thyme
713 Peanut Butter	806 Sand	811 Seaside Blue
851 Miner's Gold	852 Clay	853 Fern
854 Merlot	857 Red Wine	858 Spring Green

Double Cell Light Filtering

002 Almond	016 Beach	057 Deep Blue
083 Butterscotch	170 Toffee	292 Sable
335 China White	503 Pure White	519 Sienna Sand
528 White Cap	562 White Linen	571 Cashew
701 Lace	702 Parchment	707 Egyptian
708 Alexandria Beige	710 Thyme	806 Sand
811 Seaside Blue	851 Miner's Gold	852 Clay
853 Fern	854 Merlot	858 Spring Green

Blackout

001 Alabaster	164 White Satin	301 Fawn
343 Chamois	466 Light Mocha	813 Sun Tan
814 Alpine White	860 Black	861 Mauve
862 Cloud Blue	863 Basil	871 Mango
872 Fruit Punch	873 Orchid	

Sedona Single and Double Cell

159 White	153 Vanilla	205 Dawn
269 Candlelight	579 Prism White	

SPECIALTY SHADE DESCRIPTIONS

Top down/bottom up



The top down/bottom up option allows the homeowner to take advantage of natural light without sacrificing privacy. Depending on preference, the shade can be lowered from the top or raised from the bottom. It's a perfect choice for bedrooms and bathrooms. Right control lowers intermediate rail (top down) and left control lifts the bottomrail (bottom up).

Size Specifications

Minimum Width: 13" Maximum Width: 72"
 Minimum Height: 12" Maximum Height: 84"

Top down only option, add \$25 to shade price.

2 on 1 Headrail



The two—on—one headrail option is the smart solution for side by side windows. Two individual shades snap into one bracketrail and operate independently of each other. The option provides more flexibility when controlling light and privacy. And like the original Meridian Home standard shade, the headrails and bottomrails are fabric wrapped for a beautiful finished appearance.

Size Specifications

Minimum Width: 12" Maximum Width: 120"
 Minimum Height: 12" Maximum Height: 120"

Price as two separate shades.

Cut—outs



Cut—outs can be useful or necessary when a window encounters an obstacle such as a door handle, air conditioner or any object that interferes with the operation of the shade. The portion of the shade below the obstacle will not stack when the shade is raised.

Size Specifications

Min. Cut—out Width: 1/8" Max. Cut—out Width: 1"
 Min. Shade Width: 12" Max. Shade Width: 120"
 Min. Shade Height: 12" Max. Shade Height: 120"

Cut out charge, add \$15 per cut—out to shade price.

Arches



Specialty shades are available to enhance the beauty of arched windows. The non—operable arch is available as a perfect arch shape (height equals half the width) and non—perfect arch (template required). NOTE: Specialty shades should be placed on separate order from rectangular shades. Lead time on Perfect and Imperfect Arches is 10 working days.

Size Specifications

Minimum Width: 13" Maximum Width: 84"
 Minimum Height: 6" Maximum Height: 42"

See grid below.

Surcharges by Width Width up to (inches)	24"	29"	32"	36"	42"	48"	54"	60"	66"	72"	84"
Standard Arch (stationary), Net Cost:											
Spun Lace and Blackout All Cells	\$110	\$124	\$138	\$156	\$178	\$200	\$226	\$254	\$284	\$318	\$354

Spunlace Single Cell 7/16" and 3/4" — Standard Rail

HEIGHT	WIDTH UP TO														
UP TO	18	24	29	32	36	42	48	54	60	66	72	84	96	108	120
36	\$139	\$143	\$158	\$168	\$178	\$197	\$217	\$235	\$253	\$273	\$291	\$331	\$372	\$458	\$497
42	\$148	\$152	\$169	\$180	\$192	\$215	\$235	\$256	\$278	\$300	\$321	\$364	\$402	\$503	\$547
48	\$156	\$161	\$181	\$193	\$206	\$230	\$253	\$278	\$302	\$325	\$350	\$398	\$451	\$545	\$592
54	\$166	\$171	\$193	\$207	\$221	\$246	\$273	\$299	\$324	\$352	\$378	\$431	\$487	\$588	\$638
61	\$174	\$179	\$205	\$219	\$233	\$263	\$291	\$320	\$350	\$378	\$406	\$465	\$527	\$630	\$688
66	\$184	\$190	\$217	\$233	\$249	\$278	\$311	\$341	\$373	\$404	\$436	\$498	\$567	\$672	\$736
73	\$191	\$197	\$229	\$246	\$263	\$296	\$330	\$364	\$396	\$430	\$464	\$532	\$605	\$717	\$782
78	\$200	\$206	\$240	\$258	\$276	\$311	\$350	\$387	\$420	\$457	\$494	\$566	\$644	\$764	\$830
84	\$208	\$215	\$249	\$269	\$289	\$325	\$369	\$409	\$446	\$484	\$521	\$597	\$683	\$808	\$883
90	\$217	\$223	\$263	\$283	\$302	\$342	\$389	\$430	\$471	\$510	\$550	\$630	\$723	\$849	\$931
96	\$225	\$232	\$276	\$296	\$317	\$359	\$408	\$452	\$495	\$537	\$580	\$664	\$761	\$894	\$979
108	\$245	\$252	\$300	\$324	\$349	\$395	\$448	\$497	\$545	\$592	\$640	\$734	\$842	\$985	\$1,080
120	\$265	\$273	\$324	\$350	\$377	\$429	\$487	\$540	\$592	\$645	\$698	\$803	\$920	\$1,070	\$1,175
Symmetry Surcharge	\$24	\$24	\$28	\$32	\$32	\$36	\$40	\$44	\$48	\$52	\$56	\$67	\$75	\$91	\$99
Loop Control Surcharge	\$57	\$63	\$66	\$71	\$74	\$80	\$89	\$94	\$100	\$109	\$114	\$137	\$157	\$186	\$206
Cordless Surcharge	\$71	\$77	\$83	\$89	\$94	\$100	\$109	\$114	\$120	\$129	\$134	\$157	\$186	\$214	\$234
Cordless not available in shaded area															
NET SURCHARGES															
Top Down Bottom Up	\$25														
Top Down Only	\$25														
Cut out	\$15														

Blackout Single Cell 7/16" and 3/4" — Standard Rail

HEIGHT	WIDTH UP TO														
UP TO	18	24	29	32	36	42	48	54	60	66	72	84	96	108	120
36	\$196	\$201	\$224	\$238	\$252	\$280	\$308	\$333	\$360	\$389	\$415	\$473	\$532	\$656	\$712
42	\$209	\$215	\$240	\$256	\$272	\$305	\$333	\$365	\$396	\$427	\$458	\$520	\$574	\$720	\$783
48	\$221	\$227	\$257	\$274	\$292	\$327	\$360	\$396	\$430	\$464	\$500	\$569	\$645	\$781	\$849
54	\$234	\$241	\$273	\$293	\$313	\$350	\$389	\$426	\$462	\$502	\$540	\$616	\$698	\$843	\$915
61	\$246	\$253	\$291	\$311	\$332	\$374	\$414	\$456	\$500	\$540	\$580	\$666	\$755	\$903	\$987
66	\$261	\$269	\$308	\$331	\$354	\$396	\$443	\$487	\$533	\$577	\$623	\$713	\$813	\$964	\$1,055
73	\$271	\$280	\$325	\$350	\$374	\$422	\$472	\$520	\$567	\$615	\$664	\$762	\$867	\$1,028	\$1,122
78	\$284	\$293	\$341	\$367	\$394	\$444	\$500	\$553	\$601	\$654	\$707	\$811	\$924	\$1,096	\$1,192
84	\$296	\$305	\$354	\$383	\$412	\$464	\$527	\$585	\$639	\$693	\$747	\$855	\$980	\$1,160	\$1,267
90	\$308	\$317	\$374	\$403	\$431	\$488	\$556	\$615	\$673	\$730	\$788	\$903	\$1,038	\$1,219	\$1,337
96	\$320	\$330	\$393	\$422	\$452	\$513	\$583	\$647	\$708	\$769	\$831	\$953	\$1,092	\$1,283	\$1,407
108	\$348	\$359	\$428	\$463	\$498	\$565	\$640	\$712	\$780	\$848	\$918	\$1,054	\$1,208	\$1,414	\$1,551
120	\$377	\$388	\$462	\$500	\$539	\$613	\$697	\$773	\$849	\$925	\$1,001	\$1,153	\$1,321	\$1,537	\$1,688
Symmetry Surcharge	\$28	\$29	\$33	\$36	\$38	\$43	\$48	\$52	\$57	\$62	\$67	\$76	\$87	\$105	\$114
Loop Control Surcharge	\$57	\$63	\$66	\$71	\$74	\$80	\$89	\$94	\$100	\$109	\$114	\$137	\$157	\$186	\$206
Cordless Surcharge	\$71	\$77	\$80	\$86	\$89	\$91	\$103	\$109	\$114	\$123	\$129	\$151	\$186	\$214	\$234
Cordless not available in shaded area															
NET SURCHARGES															
Top Down Bottom Up	\$25														
Top Down Only	\$25														
Cut out	\$15														

Double Cell — Standard Rail

HEIGHT	WIDTH UP TO														
UP TO	18	24	29	32	36	42	48	54	60	66	72	84	96	108	120
36	\$139	\$143	\$159	\$169	\$178	\$198	\$218	\$236	\$254	\$275	\$293	\$333	\$375	\$462	\$501
42	\$148	\$153	\$170	\$181	\$192	\$215	\$236	\$258	\$279	\$301	\$323	\$367	\$404	\$507	\$551
48	\$157	\$161	\$182	\$194	\$206	\$231	\$254	\$279	\$303	\$327	\$353	\$401	\$454	\$549	\$597
54	\$166	\$171	\$194	\$208	\$222	\$247	\$275	\$301	\$326	\$354	\$380	\$434	\$491	\$593	\$643
61	\$174	\$179	\$206	\$220	\$234	\$264	\$292	\$322	\$352	\$380	\$409	\$468	\$531	\$635	\$694
66	\$185	\$190	\$218	\$234	\$250	\$279	\$312	\$343	\$375	\$406	\$439	\$501	\$571	\$677	\$741
73	\$192	\$198	\$230	\$247	\$264	\$298	\$333	\$366	\$399	\$433	\$467	\$536	\$610	\$723	\$788
78	\$201	\$207	\$241	\$259	\$278	\$313	\$353	\$389	\$423	\$461	\$498	\$570	\$649	\$770	\$837
84	\$209	\$215	\$250	\$270	\$290	\$327	\$372	\$412	\$450	\$488	\$525	\$601	\$688	\$815	\$890
90	\$218	\$224	\$264	\$284	\$304	\$344	\$392	\$433	\$474	\$514	\$554	\$635	\$729	\$856	\$939
96	\$226	\$233	\$277	\$298	\$318	\$361	\$411	\$455	\$498	\$541	\$584	\$670	\$767	\$901	\$988
108	\$246	\$253	\$302	\$326	\$351	\$398	\$451	\$501	\$549	\$596	\$645	\$740	\$849	\$993	\$1,089
120	\$266	\$274	\$326	\$353	\$379	\$432	\$490	\$544	\$597	\$650	\$704	\$810	\$928	\$1,079	\$1,185
Symmetry Surcharge	\$24	\$24	\$28	\$32	\$32	\$36	\$40	\$44	\$48	\$52	\$56	\$67	\$75	\$91	\$99
Loop Control Surcharge	\$57	\$63	\$66	\$71	\$74	\$80	\$89	\$94	\$100	\$109	\$114	\$137	\$157	\$186	\$206
Cordless Surcharge	\$71	\$77	\$83	\$89	\$94	\$100	\$109	\$114	\$120	\$129	\$134	\$157	\$186	\$214	\$234
Cordless not available in shaded area															
NET SURCHARGES															
Top Down Bottom Up	\$25														
Top Down Only	\$25														
Cut out	\$15														

Sedona 9/16" Single Cell — Standard Rail

HEIGHT	WIDTH UP TO														
UP TO	18	24	29	32	36	42	48	54	60	66	72	84	96	108	120
36	\$95	\$98	\$109	\$115	\$122	\$135	\$148	\$160	\$173	\$187	\$199	\$226	\$254	\$313	\$339
42	\$102	\$104	\$116	\$124	\$131	\$147	\$160	\$175	\$190	\$205	\$219	\$249	\$274	\$343	\$373
48	\$107	\$110	\$124	\$132	\$141	\$157	\$173	\$190	\$206	\$222	\$239	\$272	\$308	\$372	\$404
54	\$113	\$117	\$132	\$141	\$151	\$168	\$187	\$204	\$221	\$240	\$258	\$294	\$333	\$401	\$435
61	\$119	\$123	\$140	\$150	\$160	\$180	\$199	\$218	\$239	\$258	\$277	\$317	\$360	\$430	\$470
66	\$126	\$130	\$148	\$159	\$170	\$190	\$212	\$233	\$254	\$275	\$297	\$340	\$387	\$458	\$502
73	\$131	\$135	\$156	\$168	\$180	\$202	\$226	\$248	\$271	\$294	\$317	\$363	\$413	\$489	\$533
78	\$137	\$141	\$164	\$176	\$189	\$213	\$239	\$264	\$287	\$312	\$337	\$386	\$440	\$521	\$566
84	\$143	\$147	\$170	\$184	\$197	\$222	\$252	\$279	\$305	\$331	\$356	\$407	\$466	\$551	\$602
90	\$148	\$153	\$180	\$193	\$206	\$234	\$266	\$294	\$321	\$348	\$375	\$430	\$493	\$579	\$635
96	\$154	\$159	\$188	\$202	\$216	\$245	\$278	\$308	\$338	\$366	\$396	\$453	\$519	\$609	\$668
108	\$167	\$172	\$205	\$222	\$238	\$270	\$305	\$339	\$372	\$404	\$437	\$501	\$574	\$671	\$736
120	\$181	\$186	\$221	\$239	\$257	\$293	\$332	\$368	\$404	\$440	\$476	\$548	\$627	\$729	\$801
This fabric is available on standard rail system only.															
NET SURCHARGES															
Top Down Bottom Up	\$25														
Top Down Only	\$25														
Cut out	\$15														

Sedona Double Cell — Standard Rail

HEIGHT	WIDTH UP TO														
UP TO	18	24	29	32	36	42	48	54	60	66	72	84	96	108	120
36	\$100	\$103	\$114	\$121	\$128	\$142	\$156	\$169	\$182	\$197	\$210	\$238	\$268	\$330	\$358
42	\$107	\$110	\$122	\$130	\$138	\$154	\$169	\$184	\$200	\$216	\$231	\$262	\$289	\$362	\$393
48	\$112	\$116	\$131	\$139	\$148	\$165	\$182	\$200	\$217	\$234	\$252	\$286	\$324	\$392	\$426
54	\$119	\$123	\$139	\$149	\$159	\$177	\$197	\$215	\$233	\$253	\$272	\$310	\$351	\$423	\$459
61	\$125	\$129	\$147	\$158	\$168	\$189	\$209	\$230	\$252	\$272	\$292	\$335	\$379	\$453	\$495
66	\$133	\$137	\$156	\$168	\$179	\$200	\$223	\$246	\$268	\$290	\$313	\$358	\$408	\$484	\$529
73	\$138	\$142	\$164	\$177	\$189	\$213	\$238	\$262	\$285	\$309	\$334	\$383	\$435	\$516	\$563
78	\$144	\$148	\$173	\$186	\$199	\$224	\$252	\$278	\$302	\$329	\$355	\$407	\$464	\$550	\$597
84	\$150	\$154	\$179	\$193	\$208	\$234	\$266	\$294	\$321	\$349	\$375	\$429	\$491	\$581	\$635
90	\$156	\$160	\$189	\$203	\$217	\$246	\$280	\$309	\$339	\$367	\$396	\$453	\$520	\$611	\$670
96	\$162	\$167	\$198	\$213	\$228	\$258	\$293	\$325	\$356	\$386	\$417	\$478	\$547	\$643	\$705
108	\$176	\$181	\$216	\$233	\$251	\$284	\$322	\$358	\$392	\$426	\$461	\$528	\$606	\$708	\$777
120	\$190	\$196	\$233	\$252	\$271	\$309	\$350	\$388	\$426	\$464	\$502	\$578	\$662	\$770	\$845
This fabric is available on standard rail system only.															
NET SURCHARGES															
Top Down Bottom Up	\$25														
Top Down Only	\$25														
Cut out	\$15														

HOW TO MAKE A TEMPLATE

How to Make a Template

A template is required for arches, unless the arch is a perfect arch where the height is half the width. The following guidelines will help you make, label and communicate/ship templates correctly.



Tools Required

- Craft or butcher paper (no newspaper or wrapping paper)
- Pencil or grease pencil
- Scissors
- Masking tape
- Measuring tape
- Mailing tube

1. Cover the window opening or area to be covered with clean craft or butcher paper and tape into place. DO NOT use newspaper, plastic or cardboard.
2. Mark the room side of the template "Room Side".
3. Draw the outline of the window opening with a pencil or grease pencil.
4. For inside mount shades, cut out the template along the penciled line. For outside mount shades, add the desired overlap to the penciled guideline and draw in a new guideline. Cut the template along this new guideline.
5. Hold the trimmed template to the window to ensure proper fit.
6. Draw a diagram of the window area on the face of the template, indicating width and height measurements.
7. Be sure to include the following information on the template:
 - Account Number
 - P.O. Number
 - Name
 - Address
 - Telephone number
 - Top
 - Room Side
 - Width
 - Height
 - Side Mark
8. Roll the cut portion of the template and send in a mailing tube to the address below. DO NOT fold the template for shipment.

Mail to:

Template Department
1801 Big Town Blvd., Suite 1000
Mesquite, Texas 75149

HELPFUL HINTS — MEASURING & GLOSSARY

General Tips

- Use a metal tape measure — it won't distort measurements like a cloth tape.
- Measure all windows separately even though they may appear identical.
- Measure width left to right, height from top to bottom.
- Round measurements down to the nearest 1/8".
- Record width first, then height (also referred to as length).

Select Inside or Outside Mount

Inside Mount

Inside mounted treatments provide a finished, built-in look without covering the window molding.

Flush Mount – If you prefer your window treatment to be flush with the wall or window frame, make sure your frame depth is the same or greater than the flush mount depth required.

Outside Mount

Outside mounted treatments are mounted on your wall or molding when windows aren't square, when there is not sufficient frame depth, or if you want to make smaller windows appear larger.

Considerations for Inside vs Outside Mount

Inside mount requires adequate mounting depth. See specification pages for details. If your frame depth won't accommodate these mounting depths, you should choose outside mount.

Inside mount works best when your window is square. If it's not, your treatment may not look or function properly. To check for squareness, measure diagonally in both directions. If the measurements differ by more than .5", your window is not square and you should choose outside mount.

Check for any obstacles on your window that could interfere with your treatment's operation such as handles or cranks. If there are such obstacles, consider outside mount.

Outside mount requires at least 2" of flat surface above your window or on the window frame for mounting the brackets.

If You Selected Inside Mount

Measure the exact inside width of window opening from one inside edge to the other at top, bottom and center of opening. Record the narrowest measurement.

Measure the exact height at both sides and center from top edge of opening to top of sill. Record the longest measurement.

Do not take any deductions for clearance. The factory will take necessary deductions for a perfect fit.

If You Selected Outside Mount

Measure the exact width to be covered. Be sure the measurement overlaps the window opening by at least 1—1/2" on each side (3" total overlap) to ensure light control and

privacy.

Measure exact height to be covered, including desired overlap. So long as there is a 2" flat surface for mounting brackets, this measurement is typically from top edge of molding to bottom edge, or to top of sill if there is one.

Record exact measurements.

Glossary

Hold—down brackets

This free option is great for shades hanging on doors to keep the bottom of the shade in place.

Spacer Blocks

These can be combined with the brackets to allow mounting in deeper windows when just a little projection is needed.

Extension Brackets

These can be used when a large amount of projection is needed when installing the blind.

Side Mount Brackets

These should be used when no inside or ceiling mount is available. The size of the blind is limited on this option.

Cord Cleats

These can be included as a tie—off point for cords when the shade is raised into the up position. This is an added safety feature for children and pets.

WARRANTY, MAINTENANCE & CARE

CONGRATULATIONS ON YOUR SELECTION OF MERIDIAN HOME CELLULAR SHADES.

Because we take pride in our workmanship and quality that goes into every one of our products, we back our products with this:

LIMITED LIFETIME WARRANTY COVERING OUR CUSTOM MADE WINDOW COVERINGS

We extend this limited lifetime warranty to the original purchaser. This warranty applies only to manually operated Custom Products properly installed in the window, door or interior area for which they were intended.

Installation of the product must be in accordance with the accompanying instructions. The product cannot be modified. It is the purchaser's responsibility to maintain and clean the product in compliance with the instructions provided. The product must be used only in the window for which it was purchased.

Damage to the product resulting from mis—use, abuse, direct exposure to salty air or discoloration due to sunlight or the passage of time is not covered by this warranty.

This warranty does not apply to conditions caused by normal wear and tear upon this product.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES.

In no event shall the company be liable for INCIDENTAL or CONSEQUENTIAL DAMAGES or any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you.

In the event of a defect under this warranty, the company will repair or replace the product, at our option, provided it is returned to an authorized dealer.

Our warranty excludes shipping charges and labor costs for measuring and installations. Repairs will be made with like or similar parts.

This warranty gives you specific legal rights, and you may also have other rights, which may vary from state to state.

Note: Specialty shades are warranted for one year from the date of purchase.

Caring for Your Shades

Your shade can be dusted with a soft, clean cloth, feather duster or lightly vacuumed with a soft brush attachment. To spot clean, use a cloth or sponge with lukewarm water and lightly dab. Do not scrub the surface. Rinse thoroughly. Complete immersion is not recommended on shades with fabric wrapped rails (Symmetry, Cordless and Loop Control) and will void the warranty. Avoid contact with window cleaning products.

Note: With time, pleats may settle. Pleats at the bottom will be fuller than those at the top. Shades that are raised regularly will be less subject to pleat settling and will maintain a more crisp appearance.





unmatched style

An ideal balance of beauty and function, cellular shades remain a popular choice among designers and consumers. Heritage Window Fashions' collection includes proven best-sellers and fresh new styles, along with several optional lift system upgrades.

**MERIDIAN
HOME®**
the focal point of style®

Contact
Heritage
WINDOW FASHIONS

1801 Big Town Blvd.,
Suite 1000
Mesquite, Texas 75149

Tel: 214.388.8550
Fax: 214.388.6775
Toll Free: 1.888.223.2989

<http://www.heritageblinds.com>

MH08—01 © 2008 ITA Inc.

Meridian Home® and The Focal Point of Style® are registered trademarks of ITA Inc., Palm Coast, Florida. Symmetry™ is trademark and patented product of Flexo Solutions.

Customer Support 15